Invited Lecture

MONITORING OF SEYFERT 1 GALAXIES AT THE SPECIAL ASTROPHYSICAL OBSERVATORY OF THE RUSSIAN ACADEMY OF SCIENCE

A. N. Burenkov 1 , D. Ilić 2,3 , V. H. Chavushyan 4 , L. Č. Popović 2,5,6 and A. B. Kovačević 2,6

¹Special Astrophysical Observatory of the Russian Academy of Science, Nizhnij Arkhyz,

Karachaevo-Cherkesia 369167, Russia

²Department of Astronomy, Faculty of Mathematics, University of Belgrade,

Studentski trg 16, 11000 Belgrade, Serbia

³Humboldt Research Fellow, Hamburger Sternwarte, Universităt Hamburg,

Gojenbergsweg 112, 21029 Hamburg, Germany

⁴Instituto Nacional de Astrofísica, Óptica y Electrónica,

Apartado Postal 51, CP 72000, Puebla, Pue. México

⁵Astronomical Observatory, Volgina 7, 11160 Belgrade 74, Serbia

⁶Fellow of Chinese Academy of Sciences President's International Fellowship

Initiative (PIFI) for visiting scientist

E-mail: ban@sao.ru, dilic@matf.bg.ac.rs, lpopovic@aob.rs, andjelka@matf.bg.ac.rs

We present a development of the long-term monitoring of type 1 active galactic nuclei (AGNs) at the Special Astrophysical Observatory of the Russian Academy of Science, which was initiated by Alla Ivanovna Shapovalova back in the eighties of the last century. Setting up and running this monitoring program, which was among the first program combining different telescopes and observatories, was a challenge for the SAO group of AGN optical variability investigations. We have encountered many unique problems (e.g. methods of observation, data processing, data calibration, analysis of AGN spectra, hardware problems, lack of obtained observation time on the telescope, etc.), that were successfully overcame during the monitoring program. Here we present how we have addressed and solved these problems, as well as some results of long-term monitoring of individual AGNs. This work was supported by the Russian Science Foundation (grant no. 20-12-00030 "Investigation of geometry and kinematics of ionized gas in active galactic nuclei by polarimetry methods").